

# Spring Tank-mix sheet



Please note that physical compatibilities may not be approved tank-mixes. The tests do not check for any adverse crop phytotoxicity or for the biological efficacy of the individual components when applied in a tank-mix. Bayer gives no warranty and accepts no liability in respect of physical compatibilities; therefore, use is at grower's own risk.

Always check individual product labels for any possible restrictions before making a tank-mix recommendation. Contact Bayer for full details.

**In soft crops avoid the use of tank-mix partners** with the potential to cause crop damage when applied in a tank-mix with an adjuvant. In particular, tank-mixes with EC fungicide formulations may result in transitory adverse crop effects. To reduce the risk of adverse crop effects Hamlet® + biopower® should be applied alone.

Add the recommended quantity of Hamlet to the spray tank half-filled with the required quantity of clean water. Add the remainder of the water with the sprayer agitation system in operation. **Always maintain agitation during mixing and loading and until spraying is complete. Spray immediately.**

Do not leave the sprayer standing with chemical in it. Always add biopower to the spray tank last.

**Bayer CropScience will support the physical compatibility of tank-mixes of Hamlet + biopower with only ONE of the products listed below: except with insecticides and selected residual herbicides, see note below.**

Fungicides†		
Amistar	Firefly®155	Proline®275
Mobius®	Flexity	Talius/Justice
Fandango®	Helix®	Zephyr®
Jaunt®		

† Hamlet can only be used at a max rate of 1.0 L/ha with any of the above fungicides



# Spring Tank-mix sheet



Please note that physical compatibilities may not be approved tank-mixes. The tests do not check for any adverse crop phytotoxicity or for the biological efficacy of the individual components when applied in a tank-mix. Bayer gives no warranty and accepts no liability in respect of physical compatibilities; therefore, use is at grower's own risk.

Herbicides		
Alias SX (From Feb 1 <sup>st</sup> ONLY)	GF – 184	Sekator® (From Feb 1 <sup>st</sup> ONLY)
Ally Max SX (From Feb 1 <sup>st</sup> ONLY)	Harmony M SX (From Feb 1 <sup>st</sup> ONLY)	Simba SX (From Feb 1 <sup>st</sup> ONLY)
Avro SX (From Feb 1 <sup>st</sup> ONLY)	Herold ◆ (Up to before 31 <sup>st</sup> March)	Slalom
Bacara®	Hunter	Spitfire
Barton WG	Inka SX (From End Feb only)	Starane Hi-Load HL
Biplay SX (From Feb 1 <sup>st</sup> ONLY)	Liberator® ◆ (Up to before 31 <sup>st</sup> March)	Starane XL
Boxer	mecoprop-p	Traton SX (From Feb 1 <sup>st</sup> ONLY)
Calibre SX (From Feb 1 <sup>st</sup> ONLY)	Mozaic SX (From Feb 1 <sup>st</sup> ONLY)	
Chekker® (From Feb 1 <sup>st</sup> ONLY)	Orient	
Chimera SX (From Feb 1 <sup>st</sup> ONLY)	Pendimethalin (up to 1,000 g as / ha)	
Concert SX (From Feb 1 <sup>st</sup> ONLY)	Pendimethalin + picolinafen (up to 1,000 g as / ha)	
Dakota	Presite SX (From Feb 1 <sup>st</sup> ONLY)	
Eagle® (From Feb 1 <sup>st</sup> ONLY)	Ratio SX (From Feb 1 <sup>st</sup> ONLY)	
Finish SX (From Feb 1 <sup>st</sup> ONLY)	Refine Max SX (From Feb 1 <sup>st</sup> ONLY)	
Galaxy	Regatta®	

◆ For details of dose rate and sequences see the latest Liberator / Herold labels

Hamlet® contains diflufenican, iodosulfuron-methyl-sodium and mesosulfuron-methyl. Hamlet® is a registered trade mark of Bayer. All other brands listed may be trade marks of Bayer or of other manufacturers and proprietary rights may exist. Use plant protection products safely. Always read the label and product information before use. Pay attention to the risk indications and follow the safety precautions on the label. For further information visit [www.bayercropscience.co.uk](http://www.bayercropscience.co.uk) or call 0808 1969522. © Bayer Crop Science Limited 2021 V02



# Spring Tank-mix sheet



Please note that physical compatibilities may not be approved tank-mixes. The tests do not check for any adverse crop phytotoxicity or for the biological efficacy of the individual components when applied in a tank-mix. Bayer gives no warranty and accepts no liability in respect of physical compatibilities; therefore, use is at grower's own risk.

Insecticides★		
Contest	Hallmark with Zeon Technology	
Cypermethrin	Mavrik	
decis protech	Sumi-Alpha / Sven	

★ These insecticides can be applied with Othello + biopower plus one of the following residual herbicides, Herold, Liberator, pendimethalin +/- picolinafen.

PGRs		
chlormequat		

- Shake the Hamlet container well before use. The Desi® formulation can separate slightly in storage, but quickly disperses by shaking.
- Always ensure constant agitation of the sprayer tank during mixing, transport and application.
- Avoid spray overlaps for all tank-mixes.

Recent Changes	
07/10/2016	Quirinus herbicide added
09/01/2017	Omaha removed, Bulldog herbicide added
24.08.20	Bacara, Fury 10 EW, Toppel 100 EC removed Pontos added
22.10.20	Amistar, Capalo, Ceando, Epoxiconazole, Fandango, Firefly <sup>155</sup> Flexity, Helix: Jaunt: Mobius, Proline, Talius/Justice, Zephyr Defy rate reduced from 3 to 2 l/ha
01.04.21	ALS sequences added and herbicides updated to mirror Hamlet label
15.10.21	Capalo, Ceando and Epoxiconazole SC formulations removed

Hamlet® contains diflufenican, iodosulfuron-methyl-sodium and mesosulfuron-methyl. Hamlet® is a registered trade mark of Bayer. All other brands listed may be trade marks of Bayer or of other manufacturers and proprietary rights may exist. Use plant protection products safely. Always read the label and product information before use. Pay attention to the risk indications and follow the safety precautions on the label. For further information visit [www.bayercropscience.co.uk](http://www.bayercropscience.co.uk) or call 0808 1969522. © Bayer Crop Science Limited 2021 V02

