## Tank-mix sheet

Please note that physical compatibilities may not be approved tank-mixes. The tests do not check for any adverse crop phytotoxicity or for the biological efficacy of the individual components when applied in a tank-mix. Bayer Crop Science gives no warranty and accepts no liability in respect of physical compatibilities; therefore, use is at grower's own risk.



Always check individual product labels for any possible restrictions before making a tank-mix recommendation.

## For best results, Pacifica Plus + biopower should be applied alone.

In soft crops avoid the use of tank-mix partners with the potential to cause crop damage when applied in tank-mix with an adjuvant. In particular, tank-mixes with EC fungicide formulations may result in transitory adverse crop effects.

Add the recommended quantity of Pacifica Plus to the spray tank half-filled with the required quantity of clean water. Add the remainder of the water with the sprayer agitation system in operation. Always maintain agitation during mixing and loading and until spraying is complete. Spray immediately.

Do not leave the sprayer standing with chemical in it. Always add biopower to the spray tank last.

Bayer Crop Science will support the physical compatibility of tank-mixes of Pacifica Plus + biopower with only ONE of the products listed below:

Fungicides		
Amistar	Fandango	Mobius
Ascra <sub>Xpro</sub>	Firefly <sup>155</sup>	Proline <sup>275</sup>
Aviator <sup>235</sup> <sub>Xpro</sub>	Fortress	Talius
Boogie <sub>Xpro</sub> Plus	Helix	Variano <sub>Xpro</sub>
Kansas	Jaunt	Zephyr
Mirador Xtra	Flexity	



Herbicides			
Alias†	Giddo (Until 31st March in the year of harvest and for max. application rates see note below)	Presite SX†	
Alias SX†	Gropper SX†	Quantum†	
Ally Express†	Harmony M SX†	Quantum SX†	
Ally Max SX†	Harmony SX	Ratio SX†	
Ally SX†	Herold (Until 31st March in the year of harvest and for max. application rates see note below)	Refine Max SX†	
Answer SX†	Inka SX†	Regatta (Until 31st March in the year of harvest and for max. application rates see note below)	
Avro SX†	Jubilee SX†	Seduce†	
Biplay SX†	Liberator (Until 31 st March in the year of harvest and for max. application rates see note below)	Simba SX†	
Calibre SX†	Lorate†	Taxi†	
Chimera SX†	mecoprop-p	Thor	
Cleancrop Mondial†	Mozaic SX†	Traton SX†	
Concert SX†	Omnera® LQM®†	Triad†	
DP 911 SX†	Parana†		
Finish SX†	Pennant†		

## † Only wheat or barley as following crops

- When tank-mixing Pacifica Plus + biopower plus Liberator, Giddo or Regatta, please note that the maximum rate of Pacifica Plus must not exceed 400g/ha and the maximum rate of Liberator, Giddo or Regatta must not exceed 0.3 L/ha.
- When tank-mixing Pacifica Plus + biopower plus Herold, please note that the maximum rate of Pacifica Plus must not exceed 400 g/ha and the maximum rate of Herold must not exceed 0.3 L/ha.

PGRs		
Chlormequat	Spatial Plus	Vivax



Trace Elements & Nutrients			
Bortrac 150	Magphos K	Safe N 300	
Coptrel	Mancozin	Stopit	
Croplift	Mancuflo	Thiotrac 300	
Foliar Potash	Mantrac DF	Zintrac 700	
Gramitrel	Mantrac Pro		
Magflo 300	Photrel Pro		

Recent changes	
11.02.21	Kansas and Mirador Xtra added
12.02.21	Trace elements and nutrients added
15.10.21	Capalo, Ceando and Epoxyconazole SC formulations removed

